



Durisol®

DURISOL.COM

ACRYLITE® SOUNDSTOP TL-4 SYSTEM PRODUCT GUIDE

LIGHTWEIGHT, CRASH TESTED NOISE BARRIER SYSTEM FOR
BRIDGES AND ELEVATED ROADWAY APPLICATIONS

SAFEST NOISE BARRIER
AVAILABLE

LIGHTWEIGHT

ATTRACTIVE

EXCELLENT
SOUND ABSORPTION

TL-4 SYSTEM

The ACRYLITE® Soundstop TL-4 System is a lightweight noise barrier system for bridges and elevated roadway applications. The system has been successfully tested under NCHRP 350 Test Level 4 conditions, and proven to stabilize a vehicle and reduce the severity of auto crashes.

The system is a complete turnkey solution for transparent noise barriers, vandal shields or wind screens on bridges and overpasses. These “no maintenance panels” will retain clarity and physical strength despite decades of exposure to sunlight and other elements (ASTM D 1003 & D 4812 test methods). Components meet or exceed FHWA and DOT standards.

Safest Noise Barrier Available

Meets NCHRP 350 Test Level 4 conditions

Lightweight

As little as 200lbs per linear foot

Attractive

Panels are available as clear or coloured panels

Performance

Excellent sound insulating properties

TYPICAL APPLICATIONS

- Bridges and structures



COLUMBUS, OH - ACRYLITE® SOUNDSTOP TL-4 SYSTEM



The **ACRYLITE system** is crash-tested and contains polyamide filaments for fragment retention.



NASHVILLE, TN - ACRYLITE® SOUNDSTOP TL-4 SYSTEM


**NATIONAL COOPERATIVE HIGHWAY RESEARCH PROGRAM (NCHRP)
350 Test Level 4 - Midwest Roadside Safety Facility, Lincoln, NE, USA**



A 8,164kg truck impacts the TL-4 System at 60mph on a 25° angle



The ACRYLITE® soundstop TL-4 System stabilizes the vehicle after impact



Damaged areas show how the TL-4 System reduces the severity of the crash


TESTIMONIALS

“... the crash performance of the concrete safety shapes is essentially improved by limiting vehicle climb to some extent and by significantly reducing the roll angle of larger vehicles.”


- Excerpt from FHWA approval letter

“That is the most stable TL-4 crash test I’ve ever seen.”

- Senior FHWA Official in the Office of Safety Design



ACRYLITE® Soundstop GS CC has embedded polyamide filaments to contain broken fragments resulting from collision damage (complies with EN 1794-2)



ACRYLITE® SOUNDSTOP GS CC

AVAILABLE COLORS

ACRYLITE® Soundstop GS CC sheet for the TL-4 System is available in the following standard colors.

The color impression remains the same in different thicknesses. Other colors can be manufactured upon request.

	CLEAR
	MIDNIGHT BLUE
	STEEL BLUE
	SKY BLUE
	FOREST GREEN
	SEA GREEN
	SPRING GREEN
	SMOKY BROWN



COLUMBUS, OH - ACRYLITE® SOUNDSTOP TL-4 SYSTEM

AVAILABLE THICKNESSES

15mm ($19/32$ "), 20mm ($25/32$ "), 25mm (1")

AVAILABLE SIZES

Sheet Size	Remarks
2,500 x 2,000mm (100 x 78 $3/4$ ")	Use with post spacing up to 8' Wall height up to 6' 7" above the parapet*
3,300 x 2,500mm (130 x 100 $1/4$ ")	Use with post spacing up to 8' Wall height up to 10' 10" above the parapet*
5,000 x 2,300mm (197 x 90 $1/2$ ")	Use with post spacing up to 8' Wall height up to a maximum of 16' high*
3,000 x 2,000mm (118 x 78 $3/4$ ")	Use with post spacing up to 7' Wall height up to 9' 10" above the parapet
4,200 x 2,000mm (165 $1/2$ x 78 $3/4$ ")	Use with post spacing up to 7' Wall height up to a maximum of 13' 10" high
5,000 x 2,000mm (197 x 78 $3/4$ ")	Use with post spacing up to 7' Wall height up to a maximum of 16' high

NOTE:

* Maximum post spacing for the ACRYLITE® Soundstop TL-4 System is 8' (2,438mm)




TORONTO, ON - ACRYLITE® SOUNDSTOP TL-4 SYSTEM



ALAMEDA, CALIFORNIA

The joint Alameda County Transportation Commission and Caltrans project to upgrade existing bridges called for California's first TL-4 System installation. 20mm 'Smokey Brown' ACRYLITE® Soundstop GS CC panels were installed along two bridges on Interstate 580—one spanning the San Leandro Creek and the other spanning Estudillo Avenue, just South of Oakland.





LIONS BAY, BRITISH COLUMBIA

Three different bridges and bridge approaches at Lions Bay are equipped with the ACRYLITE® Soundstop TL-4 System, alleviating local residents' traffic safety, noise level and property value concerns leading up to the project's execution in preparation for the 2010 Olympic Games. The transparent barriers satisfy safety and construction requirements while blocking traffic noise, allowing natural light through and preserving the spectacular views of Howe Sound.

IMPORTANT NOTICE

This information and all technical and other advice are based on Evonik's present knowledge and experience. However, Evonik assumes no liability for such information or advice, including the extent to which such information or advice may relate to third party intellectual property rights. Evonik reserves the right to make any changes to information or advice at any time, without prior or subsequent notice. EVONIK DISCLAIMS ALL REPRESENTATIONS AND WARRANTIES, WHETHER EXPRESS OR IMPLIED, AND SHALL HAVE NO LIABILITY FOR, MERCHANTABILITY OF THE PRODUCT OR ITS FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE), OR OTHERWISE. EVONIK SHALL NOT BE RESPONSIBLE FOR CONSEQUENTIAL, INDIRECT OR INCIDENTAL DAMAGES (INCLUDING LOSS OF PROFITS) OF ANY KIND. It is the customer's

sole responsibility to arrange for inspection and testing of all products by qualified experts. Reference to trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used.

Evonik Cyro LLC is an Evonik Degussa Corporation group company. ACRYLITE® Soundstop is a registered trademark of Evonik Röhm GmbH, Darmstadt, Germany.



Drawings and product details are for information and/or illustrative purposes only, and may vary. Please contact your local Durisol representative for the most current product information.

Durisol®

Durisol® is the market leader in the noise barrier wall industry. We manufacture and supply a series of unique panel and post wall systems - including our Durisol® precast sound absorption panels and transparent ACRYLITE® Soundstop sheets, as well as narrow footprint retaining walls and fire-rated barriers. Our first noise barriers were installed in Canada in 1977 and in the US in 1986 and are all still in service today. With over 40+ million square feet of wall installed to date, Durisol® noise barriers stop the noise of industrial warehouses, utility enclosure sites and urban infrastructure of all kinds right across North America.

289-975-4402 | DURISOL.COM